

# WOOD AND CELLULOSIC CHEMISTRY

second edition, revised and expanded

edited by

David N.-S. Hon
Clemson University
Clemson, South Carolina

Nobuo Shiraishi Kyoto University Kyoto, Japan



MARCEL DEKKER, INC.

New York · Basel

## Library of Congress Cataloging-in-Publication Data

Wood and cellulosic chemistry / edited by David N.-S. Hon, Nobuo Shiraishi.-2nd ed., rev. and expanded.

p. cm. Includes index.

ISBN 0-8247-0024-4 (alk. paper) 1. Cellulosc. 2. Wood-Chemistry. I. Hon, David N.-S. II. Shiraishi, Nobuo.

OD323 .W66 2000

00-060173 572'.56682-dc21

This book is printed on acid-free paper.

Headquarters

Marcel Dekker, Inc.

270 Madison Avenue, New York, NY 10016 tel: 212-696-9000; fax: 212-685-4540

Eastern Hemisphere Distribution

Marcel Dekker AG

Hutgasse 4, Postfach 812, CH-4001 Basel, Switzerland

tel: 41-61-261-8482; fax: 41-61-261-8896

World Wide Web

http://www.dekker.com

The publisher offers discounts on this book when ordered in bulk quantities. For more information, write to Special Sales/Professional Marketing at the headquarters address above.

Copyright © 2001 by Marcel Dekker, Inc. All Rights Reserved.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming, and recording, or by any information storage and retrieval system, without permission in writing from the publisher.

Current printing (last digit):

10 9 8 7 6 5 4 3 2 1

PRINTED IN THE UNITED STATES OF AMERICA

Pre

Life a into ti Rapid energ and y

qualit are co huma

obser Renev U.S. I versiti renew signifi produ ness c petroc Chem devek many for eth

1,3-pr issued to fur develo techno and ir In this wood

## Contents

#### Preface iii Contributors vii

- Ultrastructure and Formation of Wood Cell Wall
   Minoru Fujita and Hiroshi Harada
- Chemical Composition and Distribution 51
   Shiro Saka
- Structure of Cellulose: Recent Developments in Its Characterization 83
   Fumitaka Horii
- 4. Chemistry of Lignin 109
- Akira Sakakibara and Yoshihiro Sano
- Chemistry of Cell Wall Polysaccharides 175
   Tadashi Ishii and Kazumasa Shimizu
- Chemistry of Extractives 213
   Toshiaki Umezawa
- Chemistry of Bark 243 Kokki Sakai
- Chemical Characterization of Wood and Its Components 275
   Jaime Baeza and Juanita Freer
- Color and Discoloration 385
   David N.-S. Hon and Nobuya Minenura
- Chemical Degradation 443
   Yuan-Zong Lai
- Weathering and Photochemistry of Wood 513 David N.-S. Hon

vi Contents

 Microbial, Enzymatic, and Biomimetic Degradation of Lignin in Relation to Bioremediation 547 Takefumi Hattori and Mikio Shimada

- Chemical Modification of Wood 573
   Misato Norimoto
- Chemical Modification of Cellulose 599
   Akira Isogai
- Chemical Synthesis of Cellulose 627
   Fumiaki Nakatsubo
- 16. Wood Plasticization 655 Nobuo Shiraishi
- Wood-Polymer Composites 701 Hiroshi Mizumachi
- Adhesion and Adhesives 733
   Hiroshi Mizumachi
- Pressure-Sensitive Adhesives and Forest Products 765
   Hiroshi Mizumachi
- Wood-Inorganic Composites as Prepared by the Sol-Gel Process 781 Shiro Saka
- Preservation of Wood 795
   Darrel D. Nicholas
- Preservation of Waterlogged Wood 807 David N.-S. Hon
- Biodegradable Plastics from Lignocellulosics 827
   Mariko Yoshioka and Nobuo Shiraishi
- Recycling of Wood and Fiber Products 849
   Takanori Arima
- Pulping Chemistry 859
   Göran Gellerstedt

Index 907

# 8

# Chemical Characterization of Wood and Its Components

Jaime Baeza and Juanita Freer Universidad de Concepción, Concepción, Chile

#### I. INTRODUCTION

Wood analysis comprises the determination of the wood components as well as the isolation, purification, and characterization of the wood constituents. Wood is chemically heterogeneous and its components can be divided into two groups: structural components of high molecular weight (cellulose, polyoses or hemicelluloses, and lignin), which are the major cell wall components; and nonstructural components of low molecular weight (extractives and inorganic compounds). The macromolecular components are not uniformly distributed in wood cells, and their concentration changes from one morphological region to another. Therefore, knowledge about the distribution of chemical components in the cell walls is of great importance to understanding the properties of wood. The chemical composition of wood varies from species to species. In general, hardwoods contain more hemicellulose than softwoods [1].

There are different types of wood analysis. One may consider only the main cell wall components, holocellulose (cellulose and polyoses), lignin, extractives, and ash; on the other hand, a very detailed analysis may include functional groups (e.g., acetyl groups), individual units of the different components (e.g., sugar pattern), different types and frequency of linkages (e.g., B-O4 linkage in lignin), etc.

Usually, wood is analyzed by the separation of the different components, but there are serious difficulties in achieving selective isolations. The separation is never complete and leads to structural changes, predominantly in the lignin. An array of classical, wet chemical procedures and a growing number of instrumental methods are available for analysis of wood. The wet chemical methods permit the acquisition of data on the gross composition of wood, and they require the separation of wood into macroscopie wood components (e.g., lignin, holocellulose, etc.). This is the reason it is always necessary to report the isolation techniques used. On the other hand, the instrumental methods are conductive to higher specificity and convenience of wood analysis. Initially, chemical specificity was achieved in a macroscopic scale, for example, by chromatographic methods the separation and determination of the individual sugars can be obtained after hydrolysis of a wood sample. More recently, techniques such as ultraviolet microscopy, electron mi-




FIGURE 1 Typical composition of softwoods and hardwoods. \*, Norway spruce (softwood); \*, common beech (hardwood). \*CH<sub>2</sub>Cl<sub>2</sub> followed by C<sub>2</sub>H<sub>2</sub>OH.

croscopy coupled with X-ray analysis, and infrared spectrometry have permitted descriptions of the distribution of chemical constituents in wood and fiber walls.

The methods of wood analysis are more or less standardized. Detailed descriptions of the analysis of wood are giving in the specialist literature [2–8]. The CPPA (Technical Section, Canadian Pulp and Paper Association, Montreal, PQ, Canada), TAPPI (Technical Association of the Pulp and Paper Industry, Adanta, GA), ASTM (American Society of Testing and Materials, Philadelphia, PA) have issued new or revised test methods for the analysis of pulp and paper materials. There are excellent reviews covering analytical techniques for wood and its components [9–15].

The purpose of this chapter is to inform the reader about some of the methods available for the chemical analysis of wood. The analysis of the constituents of wood, according to the scheme shown in Fig. 2, will be described.

#### II. SUMMATIVE ANALYSIS

276

The objective of the summative analysis is to account for all of a sample. The summative analysis of wood is based on the isolation and identification of certain groups of wood components and therefore does not deal with the determination of chemical uniformity of substances. These groups are mainly cellulose, hemicelluloses, lignin, and extractives, and often other designations are added, e.g., holocellulose, \( \text{c-cellulose}, \( \text{c-cellulose}, \( \text{c-cellulose}, \) of sometimes terms originated from the method used (such as kraft lignin, Cross and Beavan cellulose).

In evaluating the results of the summative analysis, it is important to take into consideration the methods used. To obtain a complete mass balance of a wood sample, no constituents may be overlooked or repeated. Nothing should be determined by difference. Summative analysis is will typically account for most of the wood components. Examples of summative analysis of wood composition have been reported elsewhere [16–21]. Summations may be taken in several ways, and some examples of different types of wood analyses are given in Table 1.

Values of 98–101 are generally acceptable, but frequently values deficient or in excess by about 10% are obtained [14,16,19,20]. Possible reasons for failure to achieve a complete mass balance have been reviewed by Browning [20]. Generally, the summative analysis is corrected via normalization, giving the same factor of error to all the compenents, independent of the amount in which the different components are present and in the analytical technique used. The possibility of undetected or unknown compounds in




FIGURE 2 The separation of wood components.

sample wood is ignored. Kaar and Brink [21] developed a summative analysis scheme (bomb/HPLC summative analysis method) that provides a complete accounting of the starting material without normalization. This method utilizes sealed vessels to allow the retention of the volatiles during the high-temperature stage of hydrolysis, with the hydryzate analyzed by HPLC. There were no significant unidentified peaks in any of the HPLC chromatograms. The range of mass balance determinations for the group of 10 wood specimens on unextracted and extractive-free bases was 98.43—99.63% and 98.21—90.60%, respectively. The factors that could be responsible for the discrepancy from 100% 90.60% respectively. The factors that could be responsible for the discrepancy from 100%

TABLE 1 Summative Analysis; Examples of Wood Analysis

in e a lve po-

A	В	С	D
Extractives Lignin Holocellulose Ash	Extractives Lignin  a-Cellulose Hemicelluloses Acetyl groups Ash	Extractives Lignin Glucan Mannan Galactan Xylan Arabinan Uronic anhydride Ash	Extractives Lignin Glucan Mannan Galactan Xylan Arabinan 4-O-Me glucuronic ac Glacturonic ac. Galacturonic ac. Acetyl groups Protein Ash

in the mass balance were extensively discussed. These factors include: the exact contribution of galacturonic acid in the wood; the methanol formed from the demethoxylation of polysaccharides and lignin; the loss of water in the lignin condensation/delydration relations; the wood components included in the polysaccharides and/or lignin moieties that exist in such small quantities that they are not detected by the analytical methods utilized; and residual water that remains bonded in the wood after "oven drying" which is released in the hydrolytic stage and becomes part of the hydrolytic solution. Clearly, the contribution of any of these factors is small. The complex nature of wood seriously complicates the quantification of these contributions. The improvement of the methods and techniques of analysis could result in a mass balance close to 100%.

## III. SAMPLING AND PREPARATION OF SAMPLES FOR ANALYSIS

The kind of sampling and sample preparation depends on many factors and on the aim of the analysis. Thus, the magnitude of the sampling needed for general characterization of a species is quite different than for the evaluation of trees in a specified stand. It is important to ensure that representative samples are collected which are free from outside contamination, and properly preserved. No analysis is better than the sample on which is based. However, for comparison of techniques and methods the only requirement is that the sample be uniform.

A standardized sampling procedure is given in TAPPI Standard T-257 cm-85 [2]. The procedure given is appropriate for wood in all forms, i.e., logs, chips, or sawdist. A probability sampling plan and a ceonomic or engineered sampling plan and a ceonomic or engineered sampling plan are described. A detailed discussion of sampling and preparation of samples is given by Browning [22].

Wood for chemical analysis, after air drying, must be milled to achieve complex penetration by regants and to ensure uniform reactions. Heating, preparation of very fine and dusty material, and regrinding coarse material must be avoided. Samples are srcered and normally material passed through a 0.40-mm (40-mesh) sieve and retained on a 60-mesh sieve. The selected fraction should represent, if not the entire amount of material, at least 90-95% of the original sample. The extractive should be removed before any chemical analysis, except where the extraction process and subsequent vashing could interfere with the analysis. A procedure for further preparation of wood for chemical analysis that has been sampled in accordance with TAPIT 257 is provided in TAPIT 1st Method T264 om-88 [21, Neutral solvents, ethanol and benzene, are employed to obtain extractive-free wood, removing material which is not part of the wood substance or which may interfere with subsequent analysis. Moisture determination is included. Relaced methods are ASTM D1105 (ANS), "Preparation of Extractive-Free Wood" [3]; and CPPA G31P, "Preparation of Wood for Chemical Analysis" [41].

It is dangerous to include benzene in the solvent mixture to extract wood, due to its carcinogenic properties for which it has been long banned. Accordingly, any contact with the skin or inhalation of benzene vapor must be avoided. Extreme safety precautions must be taken in carrying out the above procedure. Gloves, good ventilation, and a chemical fume hood must be used.

A mixture of ethanol and toluenc was found to remove the same materials from wood as ethanol-benzene [23]. However, the mixture of ethanol and toluene does not boil and reflux at a constant temperature and rate.

Wood samples collected for later analysis must remain moist and cold-stored. Samples should not be oven-dried to avoid changes in reactivity and lost of volatiles. After




FIGURE 3 Experimental small-scale method. (From Ref. 24.)

air drying, most chemical properties of wood do not change under adequate storage

Recently, a small-scale method for the determination of wood components such as extractives, lignin, α-cellulose, and hemicellulose has been published [24]. This method is also used in the sample preparation for structural analysis of each component (Fig. 3).

#### IV. DETERMINATION OF WATER CONTENT

Water is a natural constituent of all parts of a living tree. In green wood, water is commonly about 30% of the total weight. When the tree dies or a log is processed into lumber, chips, etc., the wood losses some of its moisture to the surrounding atmosphere. However, some water will remain within the structure of the cell even after wood has been manufactured into lumber, particle, veneer, or other product. The amount of residual water depends on the extent of drying and the environmental conditions. The wood–water system is very important in many fields of wood technology. The physical and mechanical properties, resistance to biological deterioration, and dimensional stability of the products are affected by the amount of water present.

Chemical analysis of wood is almost always performed on air-dried samples, but results are reported on a moisture-free basis. A moisture determination must therefore be ran for almost every sample submitted for analysis.

The amount of water in wood is expressed in two ways:

technique simultaneous multielement analysis can be achieved by using solid samples (wood, sawdust, ash).

The specific locations of elements in intact samples may be determined by an X-ray analysis attaching to a scanning electron microscope [638]. By imaging-microprobe secondary-ion mass spectrometry (SIMS), the spatial distribution of the elements may be determined. The spatial distribution of trace elements in jack pine, Pinus basksiana (lamb), by SIMS was determined [639]. Trace elements were found to be concentrated in specific morphological features, namely, the torus, middle lamella, cell corners, and ray parenchyma wall. The samples of jack pine were examined for Ca, Mn, Cu, and Zn by NAA and/or ICP-AES and for Fe, K, Al, Cl, Mg, Sr, and Cr by ICP-AES. Although differences in environmental conditions during the growth of a tree can result in large variations in the concentration of trace elements, the values obtained from this study are in agreement, within experimental error, with values obtained from the bulk inorganic content of jack pine [640,641].

Saka and Göring [642] studied the distribution of inorganic constituents of black spruce (Picea mariana Mill.) by means of transmission scanning microscopy coupled with energy disperse X-ray analysis (TEM-EDXA) and detected 14 elements (Na, Mg, Al, Si, S, Cl, K, Ca, Cr, Fe, Ni, Cu, Zn, and Pb). Almost all of these elements detected were found to be concentrated in the torus and half-bordered pit membrane regions. In the secondary walls of tracheids, ray tracheids, and ray parenchyma cells, only S, Cl, K, and Ca were detected. Saka and Mimori [643], by scanning microscopy coupled with EDXA (SEM-EDXA), determined the distribution of inorganic constituents in Japanese birch wood (Betulo platyphylla Sukatchev var. japonica Hara). Six morphological regions of the wood fibers, vessels, and ray parenchyma cells were investigated, and up to 11 different elements (Na, Mg, Al, Si, P, S, Cl, K, Ca, Fe, and Zn) were detected. The secondary walls of wood fibers, vessels, ray tracheids, and ray parenchyma cells usually contain only detectable concentrations of S, Cl, and Ca. In contrast, almost all of these elements detected were found to be localized and concentrated in the amorphous layers of ray parenchyma cells and pit membranes between vessels and ray parenchyma cells. The content of inorganic constituents determined by SEM-EDXA is in good agreement with the results obtained from ash residues of wood by bulk analysis.

#### REFERENCES

- 1. E. Sjöström, Wood Chemistry Fundamentals and Applications, 2nd ed., Academic Press, New York, p. 249 (1993),
- 2. TAPPI Test Methods, Technical Association of the Pulp and Paper Industry, Atlanta, GA.
- 3. ASTM Standards, American Society for Testing and Materials, Philadelphia, PA. CPPA Standards, Canadian Pulp and Paper Association, Montreal, Quebec, Canada.
- 5. Appita Standards, Australian Pulp and Paper Industry Technical Association. 6. ISO Standards, International Organization for Standardization.
- 7. DIN-Normen, Deutsches Institut für Normung.
- 8. B. L. Browning, Methods of Wood Chemistry, Interscience, New York (1967).
- 9. D. B. Easty and N. S. Thompson, Fiber Sci. Technol. Ser., 11: 49 (1991).
- B. B. Sitholé, Anal. Chem., 67: 87R (1995).
- 11. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure Reactions, Walter de Gruyter, Berlin, chap. 3 (1989).
- 12. S. Y. Lin and C. W. Dence (eds.), Methods in Lignin Chemistry, Springer-Verlag, New York

Che

58.

59. 60. 61 62.

63. 64. 65. 66. 67.

68. 69. 70. 71. 72. 73.

74.

75. 76.

77.

78.

79.

80. 81.

22

83.

84

85

86.

87. 88.

89.

90.

91.

92.

93.

94.

95.

96.

97

98

90

13.	H. H. Nimz, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 1, p. 1 (1995).
	W. E. Moore and D. B. Johnson, Procedures for the Chemical Analysis of Wood and Wood
14.	
	Products, U.S. Forest Products Lab. (1967).
15.	N. Morohoshi, in D. NS. Hon and N. Shiraishi (eds.), Wood and Cellulosic Chemistry,
	Marcel Dekker, New York, chap. 8 (1991).
16.	J. A. Smelstorius, Holzforsch. 28: 67 (1974).
17.	D. Fengel and D. Grosser, Holz Roh-Werkstoff, 33: 32 (1975).
18.	G. Wegener, Das Papier, 28: 478 (1974).
19.	C. M. Stewart, J. F. Melvin, S. H. Tham, and E. Zerdoner, Cellulose Chem. Technol. 7: 371
	(1973).
20.	B. L. Browning, Methods of Wood Chemistry, Interscience, New York, p. 12 (1967).
21.	W. E. Kaar and D. L. Brink, J. Wood Chem. Technol., 11: 479 (1991).
22.	B. L. Browning, Methods of Wood Chemistry, Interscience, New York, p. 45 (1967).
23.	M. Goetzler, TAPPI, 65: 149 (1982).
24.	T. Ona, T. Sonoda, M. Shibata, and K. Fukazawa, TAPPI J., 78: 121 (1995).
25.	R. T. Lin, Forest Prod. J., 17: 54 (1967).
26.	R. T. Lin, Forest Prod. J., 17: 61 (1967).
27.	G. Lohse and H. H. Dietrichs, Holz Roh-Werkstoff, 30: 468 (1972).

A. J. Nanassy, Wood Sci., 5: 187 (1973).

370

29. A. J. Nanassy, Wood Sci., 9: 104 (1976).

30. A. R. Sharp, M. T. Riggin, R. Kaiser, and M. H. Schneider, Wood Fiber Sci., 10: 74 (1978).

31. E. Hsi, R. Hossfeld, and R. G. Bryant, J. Colloid Interface Sci., 62: 389 (1977).

32. E. Brosio, F. Conti, C. Lintas, and S. Sykora, J. Food Technol., 13: 107 (1978).

33. J. E. Carles and A. M. Scallan, J. Appl. Polymer Sci., 17: 1855 (1973).

34. R. S. Menon, A. L. MacKay, J. R. T. Hailey, M. Bloom, A. E. Burgess, and J. S. Swanson, J. Appl. Polymer Sci., 33: 1141 (1987).

35. R. S. Menon, A. L. MacKay, S. G. Flibotte, and J. R. T. Hailey, J. Mag. Res., 82: 205 (1989). 36. C. D. Araujo, A. L. MacKay, J. R. T. Hailey, K. P. Whittall, and H. Le, Wood Sci. Technol.,

26: 101 (1992). A. Isogai, A. Ishizu, J. Nakano, S. Eda, and K. Kato. Carbohydr. Res., 138: 99 (1985).

 G. J. Ritter and E. F. Kurth, Ind. Eng. Chem., 25: 1250 (1933). 39. T. E. Timell and E. C. Jahn, Svensk Papperstid., 54: 831 (1951).

40. T. E. Timell, Pulp Paper Mag. Can., 60: T26 (1959).

41. G. W. Holmes and E. F. Kurth, TAPPI, 42: 837 (1959).

42. E. F. Kurth and A. A. Swclim, TAPPI, 46: 591 (1963). 43. Useful Method 249, in TAPPI Useful Methods, Technical Association of the Pulp and Paper

Industry, Atlanta, GA. 44. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 389 (1967).

45. G. Jayme, Cellulose Chem., 20: 43 (1942).

46. G. Jayme and G. Schwab, Papierfabr., 40: 147 (1942). 47. L. E. Wisc, Ind. Eng. Chem., Anal. Ed., 17: 63 (1945).

48. E. L. Lovell, Ind. Eng. Chem., 37: 1034 (1945). 49. L. E. Wise, M. Murphy. and A. A. D'Addieco, Paper Trade J., 122: 35 (1946).

50. N. S. Thompson and O. A. Kaustinen, TAPPI, 47: 157 (1964).

51. N. S. Thompson and O. A. Kaustinen, TAPPI, 53: 1502 (1970). 52. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 396 (1967).

53. D. Fengel, H. Uçar, and G. Wegener, Das Papier, 33: 233 (1979).

54. B. L. Browning, Methods of Wood Chemistry, Vol. 2, Wiley-Interscience, New York, p. 394 (1967).

A. Poliak, Angew. Chem., A60: 45 (1948).

56. J. S. Albrecht and G. A. Nicholls, Paperi Puu, 58: 49 (1976).

57. H. Haas, W. Schoch, and U. Ströle, Das Papier, 9: 469 (1955).

- B. Leopold, TAPPI, 44: 230 (1961).
- B. Leopold, TAPPI, 44: 232 (1961).
- M. Kono, K. Sakai, and T. Kondo, J. Jpn. TAPPI, 19: 27 (1965).
- N. S. Thompson, Holzforsch., 22: 124 (1968).
- T. E. Timell, TAPPI, 44: 88 (1961)
- 63. T. E. Timell, Svensk Papperstid., 63: 472 (1960).
- T. E. Timell, TAPPI, 43: 844 (1960).
- 65. A. J. Mian and T. E. Timell, Svensk Papperstid., 63: 884 (1960).
- 66. T. E. Timell, Wood Sci. Technol., 1: 45 (1967).
- 67. J. Janson, Paperi Puu, 52: 323 (1970).
- 68. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure Reactions, Walter de Gruyter,
- Berlin, p. 115 (1989). C. F. Cross and E. J. Bevan, J. Chem. Soc., 3: 666 (1880).
- 70. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 403 (1967).
- A. Isogai, A. Ishizu, and J. Nakano, Holzforsch., 43: 333 (1989)
- 72. G. Franz and W. Blaschek, in P. M. Dey and J. Haarbrone (eds.), Methods in Plant Bio-
- chemistry, Academic Press, Orlando, FL, Vol. 2, p. 291 (1990). 73. H. Krässig, in J. F. Kennedy, G. O. Phillips, D. J. Wedlock, and P. A. Williams (eds.), Cellulose and Its Derivatives: Chemistry, Biochemistry and Applications, Ellis Horwood,
- Chichester, U.K., p. 3 (1985). J. D. van Zyl, Paperi Puu, 4: 320 (1986).
- H. U. Körner, D. Gottschalk, and J. Puls, Das Papier, 38: 255 (1984).
- 76. J. F. Kennedy and C. A. White, in J. F. Kennedy (ed.), Carbohydrates Chemistry, Clarendon
- Press, Oxford, U.K., p. 220 (1988). 77. R. Bartunck, Das Papier 7: 153 (1953).
- 78. R. G. Schweiger, TAPPI, 57: 86 (1974).
- 79. G. Jayme, TAPPI, 44: 299 (1961).
- 80. E. Schweizer, J. Prakt. Chem., 72: 109, 344 (1857).
- 81. W. Traube, Chem. Ber., 49; 3319 (1911).
- 82. T254 cm 85, in TAPPI Test Methods, Technical Association of the Pulp and Paper Industry. Atlanta, GA.
- 83. G. J. Kubcs, B. I. Fleming, J. M. McLeod, H. Bolker, and D. P. Werthemann, J. Wood Chem. Technol., 3: 313 (1983).
- 84. G. Jayme, Das Papier, 5: 244 (1951).
- 85. G. Jayme and K. Neuschäffer, Das Papier, 9: 563 (1955).
- 86. G. Jayme and K. Neuschäffer, Das Papier, 11: 47 (1957).
- 87. G. Jayme and K. Neuschäffer, Makromol. Chem., 23: 71 (1957).
- 88. D. Henley, Svensk Papperstidn., 63: 143 (1960).
- 89. D. Henley, Arkiv for Kemi., 23: 327 (1961).
- 90. G. Jayme and W. Bergmann, Das Papier, 10: 88 (1956). 91. G. Jayme and W. Bergmann, Das Papier, 10: 307 (1956).
- 92. G. Jayme and W. Bergmann, Das Papier, 11: 280 (1957).
- 93. L. Valtasaari, Paperi Puu, 39: 243 (1957). 94. A. M. Bochek, G. A. Petropavlovsky, and O. V. Kallistov, Cellulose Chem. Technol., 27: 137
- 95. B. Dalbe and A. Peguy, Cellulose Chem. Technol., 24: 327 (1990).
- 96. H. Chanzy, P. Noe, M. Paillet, and P. Smith, J. Appl. Polymer Sci. Symp., 37: 239 (1983).
- 97. A. F. Turbae, TAPPI J., 67: 94 (1984).
- 98. J. F. Kennedy, Z. S. Rivera, C. A. White, L. L. Lloyd, and F. P. Warner, Cellulose Chem. Technol., 24: 319 (1990).
- 99. J. D. Timpa, in T. Provder, H. G. Barth, and M. W. Urban (eds.), Chromatographic Characterization of Polymers: Hyphenated and Multidimensional Techniques, Advances in Chemistry Scries 247, American Chemical Society, Washington, DC, p. 141 (1995).

- 100. A. El. Kafrawy, J. Appl. Polymer Sci., 27: 2435 (1982).
- 101. C. L. McCormick, P. A. Callais, and B. H. Hutchinson, Macromolecules, 18: 2394 (1985).
- P. C. Scherer, J. Am. Chem. Soc., 53: 4009 (1931).
- S. M. Hudson and J. A. Cuculo, J. Polymer Sci., Polymer Chem. Ed., 18: 3469 (1980).
- 104. S. M. Hudson and J. A. Cuculo, J. Polymer Sci., Polymer Chem. Ed., 20: 499 (1982).
- 105. D. C. Johnson, M. D. Nicholson, and F. C. Haigh, Appl. Polymer Symp., 28: 931 (1976). H. A. Swenson, Appl. Polymer Symp., 28: 945 (1976).
- 107. T. J. Baker, L. R. Schroeder, and D. C. Johnson, Carbohydr. Res., 67: C4 (1978).
- K. E. Almin, K. E. Eriksson, and B. A. Pettersson, J. Appl. Polymer Sci., 16: 2583 (1972).
- 109. L. Segal, Polymer Lett., 4: 1011 (1966).
- 110. M. L. Huggins, J. Am. Chem. Soc., 64: 2716 (1942).
- 111. M. Houwink, J. Prokt. Chem., 157: 1940.
- 112. M. Marx, Makromol. Chem., 16: 157 (1955)
- 113. W. Brown and R. Wikströn, Eur. Polymer J., 1: 1 (1965).
- 114. J. Daňhelka, I. Kössler, and V. Boháčková, J. Polymer Sci., Polymer Chem. Ed., 14: 287
- S. Claesson, N. Bergmann, and G. Jayme, Svensk Papperstidn., 62: 141 (1959).
- 116. A. M. Holtzer, H. Benoit, and P. Doty, J. Phys. Chem., 58: 624 (1954).
- 117. H. Sihtola, B. Kyrklund, L. Laamanen, and I. Palenius, Paperi Puu, 4a: 225 (1963).
- 118. W. J. Alexander and R. L. Mitchell, Anal. Chem. 21: 1497 (1949).
- 119. L. Segal, J. Polymer Sci. C, 21: 267 (1968).
- 120. D. A. I. Göring, Pure Appl. Chem., 5: 233 (1962).
- 121. R. Y. M. Huang and R. G. Jenkins, TAPPI, 52: 1503 (1969).
- 122. J. J. Cael, D. J. Cietek, and F. J. Kolpak, J. Appl. Polymer Sci.: Appl. Polymer Symp., 37: 509 (1983).
- 123. J. M. Lauriol, P. Froment, F. Pla, and A. Robert, Holzforsch., 41: 109 (1987).
- 124. A. Huber, Makromol. Chem., 61: 2248 (1992).
- D. L. Williams, J. A. Pretus, I. W. Browder, J. Liq. Chromatogr., 15: 2297 (1992).
- G. W. Saunders, Diss. Abstr., Int. B., 51: 2324 (1990).
- L. Segal, J. D. Timpa, and J. I. Wadsworth, J. Polymer Sci. A-1, 8: 8:25 (1970).
- 128. G. Meyerhoff and S. Javanovic, Polymer Lett. 5: 495 (1967).
- 129. L. Valtasaari and K. Saarela, Paperi Puu, 57: 5 (1975).
- 130. O. Soubelet, M. A. Presst, M. Figini, and M. Angew., Makromol. Sci. Chem., 175: 117 (1991).
- T. E. Eremeeva, T. O. Bykova, and V. S. Gromov, J. Chromatogr., 522: 67 (1990).
- T. Rantanen, P. Färm, and J. Sundquist, Paperi Puu, 68: 634 (1986).
- 133. T. Rantanen and J. Sundquist, TAPPI J., 70: 109 (1987). 134. R. Evans, R. H. Wearne, and A. F. A. Wallis, J. Appl. Polymer Sci., 37: 3291 (1989).
- 135. D. Miller, D. Senior, and R. Sutcliffe, J. Wood Chem. Technol., 11: 23 (1991).
- 136. A. E. El. Ashmawy, J. Daňhelka, and I. Kössler, Svensk Pappersstid., 16: 603 (1974). 137. L. R. Schroeder and F. C. Haigh, TAPPI, 62: 103 (1979).
- 138. B. F. Wood, A. H. Conner, and C. G. Hill, J. Appl. Polymer Sci., 32: 3703 (1986).
- 139. P. F. Vidal, N. Basora, R. P. Overend, and E. Chornet, J. Appl. Polymer Sci., 42: 1659 (1991). 140. B. Saake, R. Patt, J. Puls, K. J. Linow, and B. Phillip, Makromol. Chem. Makromol. Symp.,
  - 61: 219 (1992).
- 141. W. Schwald and O. Bobleter, J. Appl. Polymer Sci., 35: 1937 (1988).
- 142. L. L. Lloyd, F. P. Warner, J. F. Kennedy, and C. A. White, in J. F. Kennedy, G. O. Phillips, G. Owain, and P. A. Williams (eds.), Wood Cellulose, Ellis Horwood, Chichester, U.K., p. 203 (1987).
- 143. K. Kamide and M. Saito, Adv. Polymer Sci., 83: 1 (1987).
- 144. A. H. Conner, Chromatogr. Sci. Ser., 69: 331 (1995).
- 145. O. Ant-Wuorinen and A. Visappă, Paperi Puu, 47: 311 (1965).
- 146. H. Knolle and G. Jayme, Das Papier, 19: 106 (1965).
- 147. M. L. Nelson and R. T. O'Connor, J. Appl. Polymer Sci., 8: 1311 (1964).

- L. Ferrús and P. Pagés, Cellulose Chem. Technol., 11: 633 (1977).
- J. Sugiyama, H. Harada, and H. Saiki, Int. J. Biol. Macromol., 9: 122 (1987).
- 150. A. Bourret, H. Chanzy, and R. Lazaro, Biopolymers, 11: 893 (1972).
- 151. K. H. Gardner and J. Blackwell, Biopolymers, 13: 1975 (1974).
- 152. W. Claffey and J. Blackwell, Biopolymers, 15: 1903 (1976).
- 153. R. H. Atalla and D. L. VanderHart, Science, 223: 283 (1984).
- 154. J. Sugiyama, R. Vuong, and H. Chanzy, Macromolecules, 24: 4168 (1991).
- 155. J. H. Wiley and R. H. Atalla, in R. H. Atalla (ed.), Structure of Cellulose, ACS Symp. Ser. 340, American Chemical Society, Washington, DC, p. 151 (1987).
- 156. J. Sugiyama, J. Persson, and H. Chanzy, Macromolecules, 24: 2461 (1991).
- 157. D. L. VanderHart and R. H. Atalla, Macromolecules, 17: 1465 (1984).
- 158. F. Horii, A. Hirai, and R. Kitamaru, Macromolecules, 20: 2117 (1987).
- 159. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure Reactions, Walter de Gruyler, Berlin, p. 87 (1989).
- 160. A. Sarko, TAPPI, 61: 59 (1978).
- 161. J. Sugiyama, T. Okano, H. Yamamoto, and F. Horii, Macromolecules, 23: 3196 (1990).
- S. E. Darmon and K. M. Rudall, Disc. Faraday Soc., 9: 251 (1950).
- M. Tsuboi, J. Polymer Sci., 25: 159 (1957).
- 164. C. Y. Liang and R. H. Marchessault, J. Polymer Sci., 37: 385 (1959). 165. C. Y. Liang and R. H. Marchessault, J. Polymer Sci., 39: 269 (1959).
- R. H. Marchessault and C. Y. Liang, J. Polymer Sci., 43: 71 (1960).
- 167. H. G. Higgins, C. M. Stewart, and K. J. Harrington, J. Polymer Sci., 51: 59 (1961). 168. K. H. Bassett, C. Y. Liang, and R. H. Marchessault, J. Polymer Sci. A, J: 1687 (1963).
- 169. D. N.-S. Hon and N. Shiraishi (eds.), Wood and Cellulosic Chemistry, Marcel Dekker, New
- York, p. 341 (1991). 170. J. Blackwell, in J. C. Arthur (ed.), Cellulose Chemistry and Technology, American Chemical
- Society, Symp. Ser. 48, Washington, DC, p. 206 (1977).
- D. Fengel and M. Ludwing, Das Papier, 45: 45 (1991).
- 172. D. Fengel, Das Papier, 45: 97 (1991). 173. L. G. Braznik, R. G. Zhbankov, T. A. Tsetsokho, and A. M. Shishko, Zh. Prikl. Spektrosk,
- 53: 633 (1991) 174. A. J. Michell, Appita, 41: 375 (1988).
- 175. A. J. Michell, Carbohydr. Res., 173: 185 (1988).
- 176. A. J. Michell, Carbohydr. Res., 197: 53 (1990).
- 177. A. J. Michell, Cellulose Chem. Technol., 27: 3 (1993).
- H. J. Marrinan and J. Mann, J. Polymer Sci. 21: 301 (1956). 179. A. W. McKenzie and H. G. Higgins, Svensk Papperstidn., 61: 893 (1958).
- 180. D. Fengel, Holzforsch., 46: 283 (1992).
- 181. D. Fengel, Holzforsch., 47: 103 (1993). 182. D. V. Whittaker, L. A. S. Parolis, and H. Parolis, Carbohydr. Res., 253: 247 (1994).
- 183. G. Grönberg, U. Nilsson, K. Block, and G. Magnusson, Carbohydr. Res., 257: 35 (1994).
- 184. J. Sano, N. Ikushima, K. Takada, and T. Shoji, Carbohydr. Res., 261: 133 (1994).
- 185. T. J. Rutherford, C. Jones, D. B. Davies, and A. C. Elliott, Carbohydr. Res., 265: 79 (1994). 186. M. Matulová, R. Toffanin, L. Navarini, R. Gilli, S. Paoletti, and A. Cesaro, Carbohydr. Res.,
- 265: 167 (1994).
- 187. S. M. A. Homlbeck, P. A. Petillo, and L. E. Lerner, Biochemistry, 33: 1426 (1994).
- 188. M. Bruix, J. Jiménez-Barbero, and P. Cronet, Carbohydr. Res., 273: 157 (1995).
- 189. R. P. Gorshkova, V. V. Isakov, E. N. Kalmykova, and Y. S. Ovodov, Carbohydr. Res., 268: 249 (1995).
- 190. A. J. De Bruyn, J. Carbohydr. Chem., 14: 135 (1995).
- 191. L. Poppe and H. van Halbeek. Natural Struct. Biol., 1: 215 (1994).
- 192. B. Adams and L. E. Lcmer, Magn. Reson. Chem., 32: 608 (1994).
- 193. J. M. Hackney, R. H. Atalla, and D. L. VanderHart, Int. J. Biol. Macromol., 16: 215 (1994).

Cł

194.	F. Horii, H. Yamamoto, R. Kitamaru, M. Tanahashi, and T. Higuchi, <i>Macromolecules</i> , 20: 2946 (1987).
195.	H. Yamamoto, F. Horii, and H. Odani, Macromolecules, 22: 4130 (1989).
196.	H. J. Lennholm, T. Larsson, and T. Iversen, Carbohydr. Res., 261: 119 (1994).
197.	R. H. Newman, J. Wood Chem. Technol., 14: 451 (1994).
198.	R. H. Newman and J. A. Hemmingson, in Proc. 8th Int. Symp. on Wood and Pulping Chem-
170.	istry, Helsinki, Vol. 3, p. 519 (1995).
199.	A. Jeanes and H. S. Isbell, J. Res. Natl. Bur. Std. 27: 125 (1941).
200.	E. S. Becker, J. K. Hamilton, and W. E. Lucke, TAPPI, 48: 60 (1965).
201.	J. K. N. Jones, C. B. Purves, and T. E. Timell, Can. J. Chem., 39: 1059 (1961).
201.	K. Kürschener and S. Karácsonyi, Holzforsch., 15: 107 (1961).
202.	J. K. Hamilton and G. R. Quimby, TAPPI, 40: 781 (1957).
204.	B. L. Browning, Methods of Wood Chemistry, Interscience, New York, p. 567 (1967).
205.	J. A. Smelstorius and C. M. Stewart, Holzforsch., 28: 204 (1974).
206.	D. Fengel, Das Papier, 34: 428 (1980).
207.	R. L. Whistler and G. E. Lauterbach, Arch. Biochem. Biophys., 77: 62 (1958).
207.	R. L. Whistler and J. L. Sannella, Meth. Carbohydr. Chem., 5: 34 (1965).
	R. E. Gramera and R. L. Whistler, Arch. Biochem. Biophys., 101: 75 (1963).
209.	E. Hägglund, B. Lindberg, and J. Mc Pherson, Acta Chem. Scand., 10: 1160 (1956).
210.	P. D. Cafferty, C. P. J. Glaudemans, R. Coalson, and R. H. Marchessault, Svensk Paperstid.
211.	
	67: 845 (1964).
	J. K. N. Jones, L. E. Wise, and J. P. Jappe, TAPPI, 39: 139 (1956).
213.	R. W. Scott, J. Appl. Polymer Sci., 38: 907 (1989).
214.	R. L. Whistler and J. N. Be Miller, Adv. Carbohydr. Chem., 13: 289 (1958).
215.	G. Katz, TAPPI, 48: 34 (1965).
216.	T. Matsuo and T. Mizuno, Agr. Biol. Chem., 38: 465 (1974).
217.	M. H. Johansson and O. Samuelson, Wood Sci. Technol., 11: 251 (1977).
218.	G. O. Aspinall, C. T. Greenwood, and R. L. Sturgeon, J. Chem. Soc., 3667 (1961).
219.	J. L. Minor and N. Sanyer, TAPPI, 57: 109 (1974).
220.	A. Beélik, R. J. Conca, J. K. Hamilton, and E. V. Partlow, TAPPI, 50: 78 (1967).
221.	C. Schuerch, in B. L. Browning (ed.), The Chemistry of Wood, Wiley-Interscience, New York,
	p. 191 (1963).
222.	D. L. Brink and A. A. Pohlman, TAPPI, 55: 380 (1972).
223.	G. G. S. Dutton, B. J. Joscheau, and P. E. Reid, TAPPI, 56: 168 (1973).
224.	B. D. E. Gaillard, N. S. Thompson, and A. J. Morak, Carbohydr. Res., 11: 509 (1969).
225.	S. K. Chanda, E. L. Hirst, J. K. N. Jones, and E. G. V. Percival, J. Chem. Soc., 1289 (1950).
226.	A. J. Erskine and J. K. N. Jones, Can. J. Chem., 34: 821 (1956).
227.	J. E. Scott, Chem. Ind. (Lond.), 168 (1955).
228.	J. E. Scott, Meth. Biochem. Anal., 8: 145 (1960).
229.	B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 581 (1967).
230.	H. O. Bouveng and B. Lindberg, Acta Chem. Scand., 12: 1977 (1958).
231.	E. L. Hirst, D. A. Rees, and N. G. Richardson, Biochemistry, 25: 13 (1970).
232.	J. D. Blake and G. N. Richards, Carbohydr. Res., 17: 253 (1971).
233.	D. Fengel and M. Przyklenk, Svensk Papperstid., 78: 17 (1975).
234.	
235.	K. Kringstad and O. Ellefsen, Das Papier, 18: 583 (1964).
236.	
237.	
238.	
239.	
240.	KS. Jiang and T. E. Timell, Cellulose Chem. Technol., 6: 493 (1972).
241.	
242.	D. Fengel, M. Przyklenk, and G. Wegener, Papier, 30: 240 (1976).

- 243. M. F. Chaplin and J. F. Kennedy (eds.) Carbohydrate Analysis, a Practical Approach. IRL Press, Oxford-Washington, DC (1986).
- 244. Y. C. Lee, Anal. Biochem, 189: 151 (1990).
- 245. G. W. Monier-Williams, J. Chem. Soc., 119: 803 (1929).
- 246. J. F. Saeman, W. E. Moore, R. L. Mitchell, and M. A. Millett, TAPPI, 37: 336 (1954).
- 247. G. Jayme and H. Knolle, Z. Anal. Chem., 178: 84 (1960).
- 248. J. E. Jeffery, E. V. Partlow, and W. J. Polglase, Anal. Chem., 32: 1774 (1960).
- 249. M. L. Laver, D. F. Root, F. Shafizadeh, and J. C. Lowe, TAPPI, 50: 618 (1967).
- 250. R. C. Pettersen, V. H. Schwandt, and M. J. Effland, J. Chromatogr. Sci., 22: 478 (1984).
- 251. D. Fengel and G. Wegener, in R. D. Brown, Jr. and L. Jurasek (eds.), Hydrolysis of Cellulose: Mechanisms of Enzymatic and Acid Catalysis, Adv. Chem. Ser. 181, American Chemical Society, Washington, DC, p. 145 (1979).
- 252. M. G. Paice, L. Jurasek, and M. Desrochers, TAPPI, 65: 103 (1982).
- 253. M. Tenkanen, T. Hausalo, M. Siika-aho, J. Buchert, and L. Viikari, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 2, p. 189 (1995).
- 254. A. Rydlund and O. Dahlman, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 2, p. 159 (1995).
- 255. E. P. Crowell and B. B. Burnett, Anal. Chem., 39: 121 (1967).
- 256. L. G. Borchardt and C. V. Piper, TAPPI, 53: 257 (1970).
- 257. Pierre Handbook and Catalogue, 1979-1980, pp. 173 and 182, Methods 2 and 21.
- 258. K. M. Brobst and C. E. Lott, Jr., Cereal Chem., 43: 35 (1966).
- 259. L.-I. Larsson and O. Samuelson, Svensk Papperstid., 70: 571 (1967).
- 260. M. Sinner, M. H. Simatupang, and H. H. Dietrichs, J. Wood Sci. Technol., 9: 307 (1975).
- 261. M. Sinner and J. Puls, J. Chromatogr., 156: 197 (1978).
- M. R. Ladisch, A. L. Huebner, and G. T. Tsao, J. Chromatogr., 147: 185 (1978).
- A. D. Jones, I. W. Burns, S. G. Sellings, and J. A. Cox, J. Chromatogr., 144: 169 (1977).
- R. Schwarzenbach, J. Chromatogr., 117: 206 (1976).
- 265. R. T. Yang, L. P. Milligan, and G. W. Mathison, J. Chromatogr., 209: 316 (1981).
- 266. A. Heyraud and M. Rinaudo, Liq. Chromatogr., 3: 721 (1980).
- 267. H. D. Scobell, K. M. Brobst, and E. M. Steele, Cereal Chem., 54: 905 (1977).
- 268. F. E. Wentz, A. D. Marcy, and M. J. Gray, J. Chromatogr. Sci., 20: 349 (1982).
- S. J. Angyal, Chem. Soc. Rev., 9: 415 (1980).
- 270. R. C. Pettersen and V. H. Schwandt, J. Wood Chem. Technol., II: 495 (1991).
- G. G. Neuburger and D. C. Johnson, Anal. Chem., 59: 203 (1987).
- 272. T. Hausalo, Proc. 8th Int. Symp. Wood and Pulping Chemistry, Helsinki, Vol. 3, p. 131 (1995).
- 273. D. A. Mead, L. A. Larew, W. R. Lacourse, and D. C. Johnson, in P. Jandik and R. M. Cassidy (eds.). Advances in Ion Chromatography, Vol. 1, p. 13 (1989).
- 274. W. T. Edwards, C. A. Pohl, and R. Rubin, TAPPI J., 70: 138 (1987).
- 275. M. L. Laver and K. P. Wilson, TAPPI J., 76: 155 (1993).
- 276. M. Suzuki, R. Sakamoto, and T. Aoyagi, TAPPI J., 78: 174 (1995).
- 277. J. J. Worrall and K. M. Anderson, J. Wood Chem. Technol., 13: 429 (1993). L. Van Nifterik, J. Xu, J. L. Laurent, and J. Mathieu, J. Chromatogr., 640: 335 (1993).
- 279. J. Puls, T. D. Glawischnig, A. Herrmann, A. Borchmann, and B. Saake, in Proc. 8th Int.
- Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 1, p. 503 (1995). 280. C. Huber, E. Grill, P. Oefner, and O. Bobleter, Fresenius' J. Anal. Chem., 348: 825 (1994).
- 281. B. L. Browning, TAPPI, 32: 119 (1949).
- 282. M. Bylund and A. Donetzhuber, Svensk Papperstid., 71: 505 (1968).
- Z. Dische, J. Biol. Chem., 167: 189 (1947).
- 284. R. W. Scott, W. E. Moore, M. J. Effland, and M. A. Millett, Anal. Biochem., 21: 68 (1967).
- 285. T. Bitter and H. M. Muir, Anal. Biochem., 4: 330 (1962).
- 286. R. W. Scott, Anal. Chem., 51: 936 (1979).
- 287. T. M. Jones and P. Albersheim, Plant Physiol., 49: 926 (1972).
- 288. S. Johnson and O. Samuelson, Anal. Chim. Acta, 36: 1 (1966).

291.

292.

293.

294.

295.

296. 297. 298. 299 300. 301. 302.

303.

304.

Baeza and Freer
M. J. Spiro, Anal. Biochem., 82: 348 (1977).
A. G. J. Voragen, H. A. Schols, J. A. de Vries, and W. Pilnik, J. Chromatogr., 244: 327
(1982).
R. L. Taylor and H. E. Conrad, Biochem, 11: 1383 (1972).
J. H. Pazur, D. J. Dropkin, K. L. Dreher, L. S. Forsberg, and C. S. Lowman, Arch. Biochem.
Biophys., 176: 257 (1976).
B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 615 (1967).
B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 653 (1967).
S. Hakomori, J. Biochem. (Tokyo), 55: 205 (1964).
H. Björndal, C. G. Hellerqvist, B. Lindberg, and S. Svensson, Angew. Chem. Int. Ed., 9: 610
(1970).
W. N. Hawrorth, J. Chem. Soc., 107: 8 (1915).
H. A. Hampton, W. N. Haworth, and E. L. Hirst, J. Chem. Soc., 136: 1739 (1929).
T. Purdie and J. C. Irvine, J. Chem. Soc., 83: 1021 (1903).
T. Purdie and J. C. Irvine, J. Chem. Soc., 85: 1049 (1904).
R. Kuhn, H. Trischmann, and I. Löw, Angew. Chem., 67: 32 (1955).
J. Finne, T. Krusius, and H. Rauvala, Carbohydr. Res., 80: 336 (1980).
L. R. Phillips and B. A. Fraser, Carbohydr. Res., 90: 149 (1981).
P. A. Sandford and H. E. Conrad, Biochemistry, 5: 1508 (1966).
T T D

3

3 3

3

3 30

3

34

34

34

34

34

35

35

35 35

35

35

35

35 35

36

36

36.

36

36

365

369

370

371

372

373

374

305.

J. H. Pazur, in M. F. Chaplin and J. F. Kennedy (eds.), Carbohydrate Analysis, a Practical Approach, IRL Press, Oxford, p. 67 (1987). I. Ciucanu and F. Kerck, Carbohydr. Res., 13: 209 (1984). 306.

307. T. Narui, K. Takahashi, M. Kobayashi, and S. Shibata, Carbohydr. Res., 103: 293 (1982). 308. H. Rauvala, J. Finne, T. Krusius, J. Kärkkäinen, and J. Järnefelt, Adv. Carbohydr. Chem.

Biochem., 38: 389 (1981). 309. G. W. Hay, B. A. Lewis, and F. Smith, in R. L. Whistler (ed.), Methods in Carbohydrate

Chemistry, Academic Press, New York, Vol. 5, p. 347 (1977). 310. J. M. Bobbitt, Adv. Carbohydr. Res., 11: I (1956). 311. I. J. Goldstein, G. W. Hay, B. A. Lewis, and F. Smith, Meth. Carbohydr. Chem., 5: 361

(1965).

312. C. T. Bishop, Meth. Carbohydr. Chem., 6: 350 (1972). 313. J. M. Vaughan and E. E. Dickey, J. Org. Chem., 29: 715 (1964).

 B. Lindberg, J. Lönngren, and S. Svensson, Adv. Carbohydr. Chem. Biochem., 31: 185 (1975). 315. B. Lindberg, K. Samuelsson, and W. Nimmich, Carbohydr. Res., 30: 63 (1973).

316. B. S. Valent, A. G. Darvill, M. McNeil, B. K. Robertsen, and P. Albersheim, Carbohydr. Res.,

79: 165 (1980). 317. T. J. Waeghe, A. G. Darvill, M. McNeil, and P. Albersheim, Carbohydr. Res., 123: 281 (1983).

318. J. Kiss, Adv. Carbohydr. Chem. Biochem., 29: 229 (1974).

319. J. Dabrowski, in W. R. Croasmun and R. M. K. Carlson (eds.), Structural Analysis of Oligosaccharides and Polysaccharides, 2nd ed., VCH, New York (1994).

320. H. van Halbeck, Meth. Enzymol., 230: 132 (1994). 321. T. Usui, T. Toriyama, and T. Mizuno, Agric. Biol. Chem., 43: 603 (1979).

322. P. A. J. Gorin, Adv. Carbohydr. Chem. Biochem., 38: 13 (1981).

323. A. S. Perlin and G. K. Hamer, ACS Symp. Ser., 103: 123 (1979). 324. F. R. Seymour, ACS Symp. Ser., 103: 27 (1979).

325. H. Yamaguchi, S. Inamura, and K. Makino, J. Biochem. (Tokyo), 79: 299 (1976).

326. H. Yamaguchi and K. Makino, J. Biochem. (Tokyo), 81: 563 (1977).

327. H. Yamaguchi and K. Okamoto, J. Biochem. (Tokyo), 82: 511 (1977).

328. M. Tanaka, Carbohydr. Res., 88: 1 (1981). 329. G. Gee, Trans. Faraday Soc., 36: 1162 (1940).

T. E. Timell, J. Am. Chem. Soc., 82: 5211 (1960).

331. K. D. Sears, W. J. Alexander, O. Goldschmid, and J. K. Hamilton, TAPPI, 61: 105 (1978).

332. K. B. Laffend and H. A. Swenson, TAPPI J., 51: 118 (1968).

- 333. J. K. Hamilton, Pure Appl. Chem., 5: 197 (1962).
- 334. P. E. Gardner and M. Y. Chang, Dissolving Pulp Conference, Atlanta, GA (1973).
- 335. R. L. Casebier and J. K. Hamilton, TAPPI, 48: 664 (1965).
- 336. G. C. Hoffmann and T. E. Timell, Svensk Papperstid., 75: 135 (1972).
- 337. A. J. Mian and T. E. Timell, Can. J. Chem., 38: 1511 (1960).
- 338. B. W. Simson, W. A. Côté, Jr., and T. E. Timell, Svensk Papperstid., 71: 699 (1968).
- 339. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 703 (1967).
- B. L. Browning, The Chemistry of wood, Interscience, New York, p. 703 (1)
   B. W. Simson and T. E. Timell, Cellulose Chem. Technol., 12: 51 (1978).
- B. V. Ettling and M. F. Adams, TAPPI, 51: 116 (1968).
- 341. B. V. Ettling and M. F. Adams, TAPPI, 51: 116 (1968).
- G. P. Belue and G. D. McGinnis, J. Chromatogr., 97: 25 (1974).
- 343. S. C. Churms, E. H. Merrifield, and A. M. Stephen, Carbohydr. Res., 55: 3 (1977).
- 344. S. C. Churms, E. H. Merrifield, and A. M. Stephen, Carbohydr. Res., 64: C1 (1978).
- T. E. Eremeeva and O. E. Khinoverova, Cellulose Chem. Technol., 24: 439 (1990) (in Russian); Chem. Abstr. 118, 171256x (1993).
- 346. E. Adler, Wood Sci. Technol., 11: 169 (1977).
- G. F. Zakis, Functional Analysis of Lignin and Their Derivatives, TAPPI Press, Atlanta, GA (1994).
- 348. S. Saka and D. A. I. Goring, Holzforsch., 42: 149 (1988).
- A. Björkman and B. Person, Svensk Papperstid., 60: 158 (1957).
   F. E. Brauns, The Chemistry of Lignin, Academic Press, New York, p. 51 (1952).
- F. E. Brauns, The Chemistry of Light, Academic 351. J. C. Pew and P. Weyna, TAPPI, 45: 247 (1962).
- H. M. Chang, E. B. Cowling, W. Brown, E. Adler, and G. E. Miksche, Holzforch., 29: 153 (1975).
- 353. J.-Y. Chen, Y. Shimizu, M. Takai, and J. Hayashi, Wood Sci. Technol., 29: 295 (1995).
- 354. N. N. Erismann, J. Freer, J. Baeza, and N. Durán, Bioresource Technol. 47, 247 (1994).
- 355. P. Benar and U. Schuchardt, Cellulose Chem. Technol., 28: 435 (1994).
- 356. B. Hortling, K. Poppius, and J. Sundquist, Holzforsch., 45: 109 (1991).
- 357. L. Laamanen and K. Poppius, Paper and Timber, 143 (1988).
- 358. J. H. Lora and S. Aziz, TAPPI J., 68: 94 (1985).
- 359. S. Y. Lin, in S. Lin and C. W. Dence (eds.), Methods in Lignin Chemistry, Springer-Verlag,
- Heidelberg, p. 75 (1992). 360. 1. A. Pearl, TAPPI, 52: 1253 (1969)
- 361. B. L. Browning, Methods of Wood Chemistry, Wiley Interscience. New York, p. 660 (1967).
- 362. Y.-Z. Lai and K. V. Sarkanen, in K. V. Sarkanen and C. H. Ludwig (eds.), Lignins—Occur
  - rence, Formation, Structure and Reactions, Wiley, New York, p. 165 (1971).
- K. Lundquist, in S. Lin and C. W. Dence (eds.), Methods in Lignin Chemistry, Springer-Verlag, Heidelberg, p. 65 (1992).
- verlag, Heidelberg, p. 63 (1992).

  364. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure and Reactions, Walter de Gruyter.
- Berlin, p. 49 (1989).
  365. F. E. Brauns, The Chemistry of Lignin, Suppl. Vol., Academic Press. New York, pp. 49, 742.
- (1952).
  36. F. E. Brauns and D. A. Brauns, The Chemistry of Lignin, Suppl. Vol., Academic Press, New York, p. 62 (1960).
- 367. C. Lapierre, C. Rolando, and B. Monties, Holzforsch., 37: 189 (1983).
- 368. E. Adler, B. O. Lindgren, and U. Saedén, Svensk Papperstid., 55: 245 (1952).
- 369. E. Adler, J. M. Pepper, and E. Eriksoo, Ind. Eng. Chem., 49: 1391 (1957).
- 370. G. Gellerstedt and E. L. Lindfors, C. Lapierre, and B. Monties, Svensk Papperstid., 87: R61
- C. Lapierre, B. Monties, and C. Rolando, Holzforsch., 40: 47 (1986).
- 372. C. Lapierre and C. Rolando, Holzforsch., 42: 1 (1988).
- 373. C. Lapierre, B. Monties, and C. Rolando, Holzforsch., 40: 113 (1986).
- C. Lapierre, B. Monties, C. Rolando, in Proc. 4th Int. Symp. on Wood Pulping Chemistry, Paris, Vol. 2, p. 431 (1987).

- 375. C. Lapierre, B. Pollet, and C. Rolando, in Proc. 8th Int. Symp. on Wood Pulping Chemistry,
- Helsinki, Vol. 2, p. 131 (1995). 376. K. Freudenberg, A. Janson, E. Knopf, and A. Haag, Chem. Ber., 69: 1415 (1936).
- F. D. Chan, K. Nguyen, and A. F. A. Wallis, J. Wood Chem. Technol., 15: 329 (1995).
- 378. K. Y. Wu and D. L. Brink, J. Agric. Food Chem., 25: 692 (1977).
- 379. H. M. Chang and G. G. Allan, in K. V. Sarkanen and C. H. Ludwig (eds.), Lignin, Occurrence, Formation, Structure and Reaction, Wiley-Interscience, New York, p. 433 (1971).
  - K. Iiyama and T. B. T. Lam, J. Sci. Food Agric., 51: 481 (1990).
- T. P. Schultz, T. H. Fisher, and S. M. Dershem, J. Org. Chem., 52: 279 (1987).
- S. M. Dershem, T. H. Fisher, S. Johnson, and T. P. Schultz, Holzforsch., 42: 163 (1988).
- S. Larson and G. E. Miksche, Acta Chem. Scand., 25: 647 (1971).
- 384. W. G. Glasser and N. Morohoshi, TAPPI, 62: 101 (1979).
- N. Mohroshi and W. G. Glasser, Wood Sci. Technol., 13: 165 (1979).
- 386. E. Adler, I. Falkehag, and B. Smith, Acta Chem. Scand., 16: 529 (1962).
- 387. E. Adler, S. Hernestam, and I. Walldén, Svensk Papperstid., 61: 641 (1958).
- 388. Y.-Z. Lai, in S. Lin and C. W. Dence (eds.), Methods in Lignin Chemistry, Springer-Verlag, Heidelberg, p. 423 (1992).
- Y.-Z. Lai and X.-P. Guo, Wood Sci. Technol., 25: 467 (1991).
- Y.-Z. Lai, X.-P. Guo, and W. Situ, J. Wood Chem. Technol., 10: 365 (1990).
- Y.-Z. Lai and M. Funaoka, Holzforsch., 47: 333 (1993).
- 392. Y.-Z. Lai and M. Funaoka, J. Wood Chem. Technol., 13: 43 (1993).
- 393. Y. Ni, G. J. Kubes, and A. R. P. van Heiningen, J. Pulp Paper Sci., 16: J83 (1990). 394. K. V. Sarkanen, A. Islam, and C. D. Anderson, in S. Lin and C. W. Dence (eds.), Methods
  - in Lignin Chemistry, Springer-Verlag, Heidelberg, p. 387 (1992).
- 395. Y. Matsumoto, A. Ishizu, and J. Nakano, Holzforsch., 40: 81 (1986). 396. Y. Matsumoto and G. Meshitsuka, in Proc. 8th Int. Symp. on Wood Pulping Chemistry,
- Helsinki, Vol. 1, p. 557 (1995).
- H. Taneda, N. Habu. and J. Nakano, Holzforsch., 43: 187 (1989).
- 398. M. Funaoka, I. Abc, and V. L. Chiang, in S. Lin and C. W. Dence (eds.), Methods in Lignin
- Chemistry, Springer-Verlag, Heidelberg, p. 369 (1992). 399. M. Funaoka and I. Abe, Mokuzai Gakkaishi, 24: 256 (1978).
- 400. M. Funaoka and I. Abe, Mokuzai Gakkaishi, 28: 529 (1982).
- 401. M. Funaoka and I. Abe, Mokuzai Gakkaishi, 28: 627 (1982).
- 402. M. Funaoka and I. Abe, Mokuzai Gakkaishi, 28: 718 (1982).
- M. Funaoka and I. Abe, Mokuzai Gakkaishi, 31: 671 (1985).
- 404. M. Funaoka and I. Abe, Mokuzai Gakkaishi, 32: 47 (1986).
- 405. M. Funaoka, M. Shibata, and I. Abe, Holzforsch., 44: 357 (1990).
- V. L. Chiang and M. Funaoka, Holzforsch., 44: 309 (1990). 406 407. V. L. Chiang and M. Funaoka, Holzforsch., 44: 147 (1990).
- F. D. Chan, K. L. Nguyen, and A. F. A. Wallis, J. Wood Chem. Technol., 15: 473 (1995).
- J. R. Obst, J. Wood Chem. Technol., 3: 377 (1983).
- 410. K. Kuroda, A. Yamaguchi, and K. Sakai, Mokuzai Gakkaishi, 40: 987 (1994).
- A. D. Pouwels and J. J. Boon, J. Wood Chem. Technol., 7: 197 (1987). M. Kleen and K. Lindström, Nord. Pulp Paper Res. J., 2: 111 (1994).
- J. Sjoström and M. Reunanen, J. Anal. Appl. Pyrolysis, 17: 305 (1990).
- 414. J. Tanaka, A. Izumi, H. Ohi, K. Kuroda, and A. Yamaguchi, in Proc. 8th Int. Symp. on Wood Pulping Chemistry, Helsinki, Vol. 3, p. 143 (1995).
- 415. D. N.-S. Hon and N. Shiraishi (eds.), Wood and Cellulosic Chemistry, Marcel Dekker, New York, p. 317 (1991).
- 416. D. B. Johnson, W. E. Moore, and L. C. Zank, TAPPI, 44: 793 (1961).
- 417. A. G. Schöning and G. Johansson, Svensk Papperstid., 68: 607 (1965).
- 418. J. Marton, TAPPI, 50: 335 (1967).
- 419. P. A. Ahlgren and D. A. I. Göring, Can. J. Chem., 49: 1272 (1971).

- G. Aulin-Erdtman, Svensk Papperstid., 56: 91, 287 (1953).
- 421. G. Aulin-Erdtman and R. Sandén, Acta Chem. Scand., 22: 1187 (1968).
- K. Freudenberg and K. Dall, Naturwiss., 42: 606 (1955).
- 423. A. S. Wexler, Anal. Chem., 36: 213 (1964).
- 424. J. Marton and E. Adler, Acta Chem. Scand., 15: 370 (1961).
- 425. E. Adler, Paperi Puu, 43: 634 (1961).
- 426. E. Adler and J. Marton, Acta Chem. Scand., 13: 75 (1959).
- 427. K. V. Sarkanen, H.-M. Chang, and G. G. Allan, TAPPI, 50: 583 (1967).
- 428. G. Wegener, M. Przyklenk, and D. Fengel, Holzforsch., 37: 303 (1983).
- K. liyama and A. F. A. Wallis, Wood Sci. Technol., 22: 271 (1988).
- K. Iiyama and A. F. A. Wallis, Appita, 41: 442 (1988).
- 431. K. Iiyama and A. F. A. Wallis, Holzforsch., 43: 309 (1989). 432. W. D. Perkins, J. Chem. Ed., 63: A5 (1986).
- 433. W. D. Perkins, J. Chem. Ed., 64: A269 (1987).
- 434. W. D. Perkins, J. Chem. Ed., 64: A296 (1987).
- 435. O. Faix, Holzforsch., 45, Suppl.: 21 (1991).
- 436. T. P. Schultz and W. G. Glasser, Holzforsch., 40, Suppl.: 37 (1986).
- 437. G. Wegener and C. Strobel, Second Meeting of the International Expert Council on the
- Chemistry of Vegetable Resources (COCVER), St. Petersburg, Russia, p. 121 (1992). 438. A. J. Michell, TAPPI J., 73: 235 (1990).
- A. J. Michell, Cellulose Chem. Technol., 22: 105 (1988).
- 440. O. Faix, H.-L. Schubert, and R. Patt, in Proc. 5th Symp. on Wood Pulping Chemistry, Raleigh, NC, p. 1 (1989).
- 441. N. L. Owen and D. W. Thomas, Appl. Spectrosc. 43: 451 (1989).
- 442. A. J. Michell, Appita, 47: 29 (1994).
- 443. R. J. Olsson, P. Tomani, M. Karlsson, T. Joseffson, K. Sjöberg, and C. Björklund, TAPPI J., 78: 158 (1995).
- 444. T. P. Schultz, M. C. Templeton, and G. D. McGinnis, Anal. Chem. 57: 2867 (1985).
- 445. A. Ferraz, J. Baeza, J. Rodríguez, and J. Freer, Bioresource Technol., 74: 201 (2000).
- 446. E. V. Thomas, Anal. Chem., 66: 795 A (1994).
- 447. S. T. Balke, P. Cheung, L. Jeng, R. Lew, and T. H. Mourey, J. Appl. Polymer Sci. Appl. Polymer Symp., 48: 259 (1991).
- 448. F. Kimura, T. Kimura, and D. G. Gray, Holzforsch., 46: 529 (1992).
- 449. A. J. Michell, P. J. Nelson, and C. W. J. Chin, Appita, 42: 443 (1989).
- 450. A. J. Michell, Wood Sci. Technol., 27: 69 (1993). 451. M. Brunner, R. Eugster, E. Trenka, and L. Bergamin-Strotz, Holzforsch., 50: 130 (1996).
- 452. A. J. Michell and L. R. Schimleck, Appita, 49: 23 (1996). L. R. Schimleck, A. J. Michell, and P. Vinden, Appita, 49: 319 (1996).
- 454. A. J. Sommer and J. E. Katon, TAPPI Proc. Pulping Conference, p. 543 (1993).
- 455. C.-L. Chen and D. Robert, in W. A. Wood and S. T. Kellog (eds.), Methods in Enzymology,
- Academic Press, New York, Vol. 161, p. 156 (1988).
- 456. C. H. Ludwig, B. J. Nist, and J. L. McCarthy, J. Am. Chem. Soc., 86: 1196 (1964).
- 457. O. Faix, C. Grünwald, and O. Beinhoff, Holzforsch., 46: 425 (1992).
- 458. K. Lundquist, Nord. Pulp Paper Res. J., 7: 4 (1992)
- 459. S. Li and K. Lundquist, Nord. Pulp Paper Res. J., 9: 191 (1994).
- 460. D. A. Skoog and J. J. Leary, Principles of Instrumental Analysis, Harcourt Brace College, Orlando, FL (1992).
- A. Labidi, D. Robert, and F. Pla, Holzforsch., 47: 133 (1993).
- 462. L. Chen and D. Robert, in W. A. Wood and S. T. Kellog (eds.), Methods in Enzymology, Academic Press, New York, Vol. 161, p. 161 (1988).
- 463. H. H. Nimz, D. Robert, O. Faix, and M. Nemr, Holzforsch., 35: 16 (1981).
- M. Bardet, M.-F. Foray, and D. Robert, Makromol. Chem., 186: 1495 (1985).
- 465. G. Gellerstedt and D. Robert, Acta Chem. Scand. B, 41: 541 (1987).

- G. J. Leary and R. H. Newman, in C. Dence and S. Lin (eds.), Lignin Chemistry, Springer-Verlag, Berlin, p. 147 (1992).
- 467. J. F. Haw and G. E. Maciel, Anal. Chem., 56: 1323 (1984).
- 468. G. J. Leary, K. R. Morgan, and R. H. Newman, Appita, 40: 181 (1987).
- 469. G. J. Leary, K. R. Morgan, and R. H. Newman, Holzforsch., 40: 221 (1986).
- 470. R. M. Ede, G. Brunow, L. K. Simola, and J. Lemmetyinen, Holzforsch., 44: 95 (1990).
- 471. K. R. Williams and R. W. King, Anal. Chem., 67: A125 (1990).
- A. Bax and D. G. Davis, J. Magn. Reson., 65: 355 (1985). 473. M. F. Summers, L. Marzilli, and A. Bax, J. Am. Chem. Soc., 108: 4285 (1986).
- 474. R. M. Ede and Y. Kipeläinen, Res. Chem. Intermed., 21: 313 (1996).
- 475. R. M. Ede, J. Ralph, K. M. Torr, and B. S. W. Dawson, Holzforsch., 50: 161 (1996).
- 476. I. Kilpeläinen, J. Sipilä, G. Brunow, K. Lundquist, and R. M. Ede, J. Agric. Food Chem, 42: 2970 (1994).
- 477. R. M. Ede and J. Ralph, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 3, p. 97 (1995).
- 478. N. Fukagawa, G. Meshitsuka, and A. Ishizu, J. Wood Chem. Technol., 12: 425 (1992).
- R. M. Ede and I. Kilpeläinen, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 1, p. 487 (1995).
- 480. D. S. Argyropoulos, H. I. Bolker, C. Heitner, and Y. Archipov, Holzforsch., 47: 50 (1993).
- 481. D. S. Argyropoulos, H. I. Bolker, C. Heitner, and Y. Archipov, J. Wood Chem. Technol., 13:
- 482. D. S. Argyropoulos, J. Wood Chem. Technol., 14: 45 (1994).
- 483. D. S. Argyropoulos, J. Wood Chem. Technol., 14: 65 (1994).
- D. S. Argyropoulos and C. Heitner, Holzforsch., 48, Suppl.: 112 (1994).
- 485. P. Malkavaara and R. Alén, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 3, p. 103 (1995).
- 486. D. S. Argyropoulos, Y. J. Sun, M. Mazur, B. Hortling, and K. Poppius-Levlin, Nord. Pulp Paper Res. J., 10: 68 (1995).
- 487. Z.-H. Jiang and D. S. Argyropoulos, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, Vol. 1, p. 511 (1995).
- M. Barrelle, J. Wood Chem. Technol., 12: 413 (1992).
- M. Barrelle, Holzforsch., 47: 261 (1993).
- 490. M. Barrelle, J. Wood Chem. Technol., 15: 179 (1995).
- 491. G. Wegener and D. Fengel, Wood Sci. Technol., 11: 133 (1977). 492. O. Faix, W. Lange, and E. C. Salud, Holzforsch., 35: 3 (1981).
- 493. D. A. I. Göring, in K. V. Sarkanen and C. H. Ludwig (eds.), Lignins, Occurrence, Formation.
- Structure and Reactions, Wiley-Interscience, New York, p. 695 (1971). 494. M. E. Himmel, J. Mlynar, and S. Sarkanen, Chromatogr. Sci. Ser., 69: 353 (1995).
- 495. J. Pellinen and M. Salkinoja-Salonen, J. Chromatogr., 328: 299 (1985).
- O. Faix, W. Lange, and O. Beinhoff, Holzforsch., 34: 174 (1980).
- W. Lange, W. Schweers, and O. Beinhoff, Holzforsch., 35: 119 (1981).
- 498. H. L. Chum, D. K. Johnson, M. P. Tucker, and M. E. Himmel, Holzforscla., 41: 97 (1987).
- 499. M. E. Himmel, K. Tatsumoto, K. K. Oh, K. Grohmann, D. K. Johnson, and H. L. Chum, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials. ACS Symp. Ser. 397, chap. 6, p. 82 (1989).
- 500. O. Faix and O. Beinhoff, Holzforsch., 46: 355 (1992).
- W. G. Glasser, V. Davé. and C. E. Frazier, J. Wood Chem. Technol., 13: 545 (1993).
- E. J. Siochi, T. C. Ward, M. A. Haney, and B. Mahn, Macromolecules, 23: 1420 (1990).
- 503. S. Sarkanen, D. C. Teller, J. Hall, and J. L. McCarthy, Macromolecules, 14: 426 (1981).
- 504. W. J. Connors, S. Sarkanen, and J. L. McCarthy, Holzforsch., 34: 80 (1980).
- 505. S. Rudatin, Y. L. Sen, and D. L. Woerner, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Ser. 397, chap. 11, p. 144 (1989).
- 506. S. Dutta, T. M. Garver, Jr., and S. Sarkanen, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Scr. 397, chap. 12, p. 155 (1989).

- 507. S. Sarkanen, D. C. Teller, C. R. Stevens, and J. L. McCarthy, Macromolecules, 17: 2588
- 508. E. Adler and B. Wesslén, Acta Chem. Scand., 18: 1314 (1964).
- 509. T. N. Soundararajan and M. Wayman, J. Polymer. Sci. C, 30: 521 (1970).
- W. J. Connors, Holzforsch., 32: 145 (1978).
- 511. W. J. Connors, L. F. Lorenz, and T. K. Kirk, Holzforsch., 32: 106 (1978).
- 512. R. Concin, E. Burtscher, and O. Bobleter, Holzforsch., 35: 279 (1981).
- 513. T. K. Kirk, W. Brown, and E. B. Cowling, Biopolymers, 7: 135 (1969).
- 514. T. I. Obiaga and M. Wayman, J. Appl. Polymer. Sci., 18: 1943 (1974).
- 515. S. Sarkanen, D. C. Teller, E. Abramowski, and J. L. McCarthy, Macromolecules, 15: 1098
- 516. A. Hüttermann, Holzforsch., 32: 108 (1978).
- 517. O Faix, W. Lange, and G. Besold, Holzforsch., 35: 137 (1981).
- 518. E. J. Siochi, M. A. Haney, W. Mahn, and T. C. Ward, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Ser. 397, Chap. 7, p. 100 (1989)
- 519. P. Foment and F. Pla, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Ser. 397, chap. 10, p. 134 (1989).
- 520. D. T. Balogh, A. A. S. Curvelo, and R. A. M. C. De Groote, in J. F. Kennedy, G. O. Phillips, and P. A. Williams (eds.), Cellulose Chemistry, Biochemistry and Materials Aspects, Ellis Horwood, London, U.K., p. 279 (1993).
- 521. K. Forss, R. Kokkonen, and P.-E. Sågfors, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Ser. 397, chap. 9, p. 124 (1989).
- 522. K. Forss, R. Kokkonen, and P.-E. Sågfors, in W. G. Glasser and S. Sarkanen (eds.), Lignin Properties and Materials, ACS Symp. Ser. 397, chap. 13, p. 177 (1989).
- 523. E. R. E. van der Hage, W. M. G. M. van Loon, J. J. Boon, H. Lingeman, and U. A. Th. Brinkman, J. Chromatogr., 634: 263 (1993).
- 524. M. Dolk, F. Pla, J. F. Yan, and J. L. McCarthy, Macromolecules, 19: 1464 (1986).
- 525. I. D. Suckling, M. F. Pasco, B. Hortling, and J. Sundquist, Holzforsch., 48: 501 (1994).
- 526. D. Dong and A. L. Fricke, J. Appl. Polymer. Sci., 50: 1131 (1993).
- 527. D. Dong and A. L. Fricke, Polymer, 36: 2075 (1995).
- 528. J. Bauch, O. Schmidt, W. E. Hillis, and Y. Yazaki, Holzforsch., 31: 1 (1977).
- Y. Yazaki. Holzforsch., 36: 249 (1982).
- 530. W. W. Wilcox and D. D. Piirto, Wood and Fiber, 7: 240 (1976).
- 531. J. W. Rowe and A. H. Conner, Extractives in Eastern Hardwoods. A Review, General Tech. Rep. FPL. 18, U.S. Foresst Products Laboratory, Madison, WI (1979).
- 532. I. Abe and K. Ono, J. Jpn. Wood Res. Soc., 26: 686 (1980).
- 533. G. Venkoba Rao, N. V. S. R. Murthy, and G. K. Srinivasan, TAPPI, 64: 96 (1981).
- 534. E. S. Lipinsky, D. Anson, J. R. Longanbach, and M. Murphy, J. Am. Oil Chem. Soc., 62: 940 (1985).
- 535. N. Levitin, Pulp Paper Mag. Can., 71(T361): 81 (1970).
- 56. W. E. Hillis and M. Sumimoto, in J. W. Rouse (ed.), Natural Products of Woody Plants I, II, Springer-Verlag, New York (1989).
- 537. R. A. Abramovitch and O. A. Koleoso, Can. J. Chem., 44: 2913 (1966).
- 538. S. A. Rydholm, Pulping Processes, Interscience, New York (1965). 539. A. Assarsson and I. Croon, Svensk Papperstid., 66: 876 (1963).
- 540. A. Assarsson, I. Croon, and A. Donetzhuber, Svensk Papperstid. 66: 940 (1963).
- 541. H. M. Nugent, L. H. Allen, and H. I. Bolker, Trans. Tech. Sec. CPAA, 3: 103 (1977).
- 542. N. Dunlop-Jones, H. Jialing, and L. H. Allen, J. Pulp Paper Sci., 17: 160 (1991).
- 543. P. J. Allison, Paper Souther Africa, 8: 16 (1988).
- 544. M. Douek and L. H. Allen, TAPPI, 61: 47 (1978).
- 545. R. R. Affleck and R. G. Ryan, Pulp Paper Mag. Can., 70(T563): 107 (1969).
- 546. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 75 (1967).
- 547. R. G. Rickey, J. K. Hamilton, and H. L. Hergert, Wood Fiber, 6: 200 (1974).

ŧ

6

6

6

6

6

6 6

6

6

6 6

6

61

61

61

62

62

62

62

62

62

62

62

621

631

63

633

- 548. E. F. Kurth, Ind. Eng. Chem., Anal. Ed., 11: 203 (1939).
- B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 119 (1967).
- 550. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure Reactions, Walter de Gruyter, Berlin, p. 33 (1989).
- 551. D. W. Reeve and A. B. McKague, J. Pulp Paper Sci., 17: J115 (1991).
- A. Demirbaş, Wood Sci. Technol., 25: 365 (1991).
- 553. T. Chen, B. Breuil, S. Carrière, and J. V. Hatton, TAPPI J., 77: 235 (1994).
- 554. B. B. Sitholé, J. L. Sullivan, and L. H. Allen, Holzforsch., 46: 409 (1992).
- B. B. Sitholé, Appita, 45: 260 (1992).
- 556. Z. Zhang, M. J. Yang, and J. Pawliszyn, Anal. Chem., 66: 844A (1994).
- 557. H. Halvarson and O. Hult, TAPPI J., 66: 105 (1983).
- 558. B. B. Sitlholé, P. Vollstaedt, and L. H. Allen, TAPPI J., 74: 187 (1991).
- 559. E. J. Nurthen, B. V. McCleary, P. L. Milthorpe, and J. W. Whitworth, Anal. Chem., 58: 448 (1986).
- 560. D. F. Zinkel, TAPPI, 58: 109 (1975).
- 561. D. F. Zinkel, J. Wood Chem. Technol., 3: 131 (1983).
- 562. F. Terauchi, T. Ohira, M. Yatagai, T. Ohgama, H. Aoki, and T. Suzuki, Mokuzai Gakkaishi, 39: 1421 (1993).
- 563. F. Bright and M. E. P. M. McNally (eds.), Supercritical Fluid Technology Theoretical and Applied Approaches in Analytical Chemistry, ACS Symp. Ser. 488 (1992).
- 564. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 91 (1967).
- 565. A. W. Schorger, Ind. Eng. Chem., 9: 556 (1917).
- 566. M. Myer, B. Hausmann, N. Zelmann, and K. Kratzl, Proc. TAPPI Research and Development Division Conf., Technical Association of the Pulp and Paper Industry, Atlanta, GA, p. 155
- 567. A. Sato and E. von Rudloff, Can J. Chem., 42: 635 (1964).
- 568. D. F. Zinkel, in M. H. Esser (ed.), Proc. 6th Annual Lightwood Research Conf., Southeast Forest Experiment Satation, Asheville, NC, p. 147 (1979).
- 569. J. Drew, J. Russell, and H. W. Bajak, Sulfate Turpentine Recovery, Pulp Chemical Association, New York (1971).
- 570. J. Drew and G. D. Pylant, Jr., TAPPI, 49: 430 (1966).
- 571. D. F. Zinkel and C. R. McKibben, in M. H. Esser (ed.), Proc. 5th Annual Lightwood Research
- Conf., Southeast Forest Experiment Satation, Asheville, NC, p. 133 (1978). 572. S. V. Kossuth and J. W. Munson, TAPPI, 64: 174 (1981). 573. E. Zavarin, Y. Wong, and D. F. Zinkel, in M. H. Esser (ed.), Proc 5th Annual Lightwood
- Research Conf., Southeast Forest Experiment Satation, Asheville, NC, p. 19 (1978).
- R. P. Adams, M. Granat, L. R. Hogge, and E. Rudloff, J. Chromatogr. Sci., 17: 75 (1979). 575. F. Terauchi, T. Ohira, M. Yatagai, T. Ohgama, H. Aoki, and T. Susuki, Mokuzai Gakkaishi.
- 39: 1431 (1993). 576. H. Axelsson, C. Boström, D. Cooper, and U. Svedberg, Nord. Pulp Paper Res. J., 7: 155 (1992).
- R. C. McDonald and L. J. Porter. N.Z. J. Sci., 12: 352 (1969).
- 578. J. M. Uprichard and J. A. Lloyd, N.Z. J. Forest Sci., 10: 551 (1980).
- 579. 1. D. Suckling and R. M. Ede, Appita, 43: 77 (1990).
- 580. B. L. Browning and L. O. Bublitz, TAPPI, 36: 418 (1953).
- H. Wienhaus, Chem. Technol. (Berlin), 5: 25 (1953).
- 582. J. P. Casey (ed.), Pulp and Paper, 3rd ed., Wiley, New York, Vol. 1, pp. 126, 424, 487 (1980).
- 583. A. M. Mimms, M. J. Kocurek, J. A. Pyatte, and E. E. Wright (eds.), Kraft Pulping, A Compilation of Notes, TAPPI Press, Atlanta, GA, p. 21 (1993).
- A. Quinde and L. Paszner, Holzforsch. 46: 513 (1992).
- 585. B. B. Sitholé, TAPPI J., 76: 123 (1993).
- M. Yang, Fenxi Huaxne, 21: 1148 (1993).
- 587. M. J. Brites, A. Guerreiro, B. Gigante, and M. J. Marcelo-Curto, J. Chromatogr., 641: 199 (1993).

- 588. I. A. Rogers, Pulp Paper Mag. Can. 74(T303): 111 (1973).
- 589. A. Oikari, B. E. Lönn, M. Castrén, T. Nakari, B. Snickars-Nikinmaa, H. Bister, and E. Virtanen, Water Res., 17: 81 (1983).
- S. Backa, A. Brolin, and N.-O. Nilvebrant, TAPPI J., 72: 139 (1989).
- 591. J. K. Volkman and D. G. Hodsworth, J. Chromatogr., 643: 209 (1993).
- 592. F. Alvarado, K. Lindström, J. Nordin, and F. Österberg, Nord. Pulp Paper Res., 7: 37 (1992).
- 593. C. J. Biermann and M.-K. Lee, TAPPI J., 73: 127 (1990).
- J. Sjöström, R. Bådenlid, and M. A. Norborg, Holzforsch., 47: 446 (1993).
- 595. B. Charrier, M. Marques, and J. P. Haluk, Holzforsch., 46: 87 (1992).
- H. L. Hardell, J. Anal. Appl. Pyrolysis, 27: 73 (1993).
- 597. Y. Ohtani, Appita, 46: 39 (1993).
- 598. E. Sjöström, Wood Chemistry: Fundamentals and Applications, Academic Press, New York, p. 92 (1981).
- 599. R. Ekman, Holzforsch., 3: 79 (1976).
- 600. C.-L. Chen, H.-M. Chang, and E. B. Cowling, Phytochemistry, 15: 547 (1976).
- 601. T. W. Pearson, G. S. Kriz, Jr., and J. Taylor, Wood Sci. Technol., 10: 93 (1977). 602. 1. A. Pearl and S. F. Darling, Phytochemistry, 9: 1277 (1970).
- 603. K. Miki, K. Ito, and T. Sasaya, J. Jpn. Wood Res. Soc., 25: 665 (1979).
- R. W. Spencer and E. T. Choong, Holzforsch., 31: 25 (1977). 605. M. Samejima and T. Yoshimoto, J. Jpn. Wood Res. Soc., 25: 671 (1979).
- 606. T. Popoff and O. Theander, J. Appl. Polymer Sci.: Appl. Polymer Symp., 28: 1341 (1976).
- 607. J. J. Karchesy, P. M. Loveland, M. L. Laver, D. F. Barofsky, and E. Barofsky, Phytochemistry, 15: 2009 (1976).
- 608. Y. Yazaki and W. E. Hillis, Holzforsch., 31: 20 (1977).
- 609. A. Calimli and A. Olcay, Holzforsch., 32: 7 (1978).
- B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 223 (1967).
- 611. E. L. Johnson and A. J. Cserjesi, J. Chromatogr., 107: 388 (1975).
- 612. S. V. Fonseca, L. T. Nielsen, and E. A. Ruveda, Phytochemistry, 18: 227 (1979).
- 613. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 253 (1967).
- 614. A. Hofinger, B. Hinterstoisser, and S. Hofer, in Proc. 8th Int. Symp. on Wood and Pulping Chemistry, Helsinki, p. 121 (1995).
- 615. D. Fengel and G. Wegener, Wood Chemistry, Ultrastructure Reactions, Walter de Gruyter, Berlin, p. 56 (1989).
- 616. B. L. Browning, The Chemistry of Wood, Interscience, New York, p. 88 (1967).
- 617. B. Sansoni and V. K. Panday, in S. Facchetti (ed.), Analytical Techniques for Heavy Metals in Biological Fluids, Elsevier, Amsterdam, p. 91 (1982).
- 618. H. Small, T. S. Stevens, and W. C. Bauman, Anal. Chem., 47: 1801 (1975).
- 619. J. B. Zicherman and R. J. Thomas, Holzforsch., 26: 150 (1972).
- 620. Useful Method 243, in TAPPI Useful Methods, Technical Association of the Pulp and Paper Industry, Atlanta, GA.
- 621. G. D. Christian, Anal. Chem., 41: 24A (1969).
- 622. M. T. Friend, C. A. Smith, and D. Wishart, Atomic Absorption Newslett., 16: 46 (1977).
- 623. J. P. Price, TAPPI, 54: 1497 (1971).
- N. M. Arafat and W. A. Glooschenko, Analyst, 106: 174 (1981).
- 625. T438 cm-90, in TAPPI Standard Methods, Technical Association of the Pulp and Paper Industry, Atlanta, GA.
  - 626. H. Matusiewicz and R. M. Barnes, Anal. Chem., 57: 406 (1985).
- 627. S. Kokot, G. King, H. R. Keller, and D. L. Massart, Anal. Chim. Acta, 259: 267 (1992).
- 628. J. Nieuwenhuize and C. H. Poley-Vos, Atomic Spectrosc. 10: 148 (1989). 629. L. H. J. Lajunen, J. Piispanen, and E. Saari, Atomic Spectrosc., 13: 127 (1992).
- 630. R. Lammi, Paperi Puu, 63: 605 (1981).
- 631. E. King and O. Schalin, Paperi Puu, 57: 209 (1975).
- 632. A. A. Verbeek, Spectrochim. Acta, 39B: 599 (1984).

- 633. D. C. Lee and C. W. Laufmann, Anal. Chem., 43: 1127 (1971).
- 634. J. Marton and T. Marton, TAPPI, 55: 1614 (1972).
- 635. J. A. Meyer and J. E. Langwig, Wood Sci., 5: 270 (1973). 636. C. A. Osterhaus, J. E. Langwig, and J. A. Meyer, Wood Sci., 8: 370 (1975).
  - 637. H. E. Young and V. P. Guinn, TAPPI, 49: 190 (1966).
- 638. R. A. Parham, Paperi Puu, 55: 959 (1973).
- 639. J. H. E. Bailey and D. W. Reeve, Pulping Conf., Book 3, San Diego, CA, p. 1233 (1994).
- 640. M. L. Harder and D. W. Einspahr, TAPPI, 63: 110 (1980).
- 641. A. Wong, Pulp & Paper Can., 84: 38 (1983). 642. S. Saka and D. A. I. Göring, Mokuzai Gakkaishi, 29: 648 (1983).
- 643. S. Saka and R. Mimori, Mokuzai Gakkaishi, 40: 88 (1994).

D Ci

a) cl p. ol ar

ag in or

П. Th the

Isa: is r ligh

mag (UV vari plac it. U lens: